

Contents

Foreword	i
1. General	1
1.1 Introduction	1
1.2 Externally applied reinforcement (EAR)	1
1.3 Applications of EAR	2
1.4 EAR basic application forms	4
1.5 Aim and content of this report	4
2. Materials, systems and techniques	6
2.1 Materials for EAR strengthening	6
2.1.1 General	6
2.1.2 Fibres	7
2.1.3 Matrices	9
2.1.4 FRP materials	9
2.1.5 Adhesives for bonding EAR	12
2.2 Externally applied reinforcement systems	13
2.2.1 Cured in-situ systems	14
2.2.2 Pre-cured (prefabricated) elements	14
2.3 Techniques for EAR strengthening	15
2.3.1 Basic FRP technique	15
2.3.2 Subsequent or special techniques	15
3. Basis of design and structural analysis	25
3.1 General	25
3.2 Requirements	25
3.2.1 Basic requirements	25
3.2.2 Reliability management	26
3.2.3 Design working life, durability and quality management	26
3.3 Limit states design	26
3.4 Basic variables: actions and environmental influences	27
3.4.1 Actions	27
3.4.2 Environmental influences	27
3.5 Basic variables: material and product properties	27
3.5.1 Geometrical properties	27
3.5.2 Mechanical properties	28
3.5.3 Technological properties	29

3.6	Verification by partial factor method	30
3.6.1	General	30
3.6.2	Stress-strain relationship for FRP and design values	30
3.6.3	ULS verification of bond failure	31
3.7	Strategies for design	32
3.7.1	Behavioural aspects	32
3.7.2	Limit states governing the design	33
3.7.3	Desirable failure modes at ultimate limit state (static actions)	33
3.7.4	Deformation capacity at the ultimate limit state	34
3.7.5	Accidental loss of FRP – degree of strengthening	35
3.7.6	Impact of local strengthening on global behaviour and structural integrity	36
3.7.7	Design flow charts	37
3.8	Structural analysis and design by testing	37
3.8.1	Structural modelling	37
3.8.2	Static actions and fatigue	37
3.8.3	Dynamic actions	37
3.8.4	Fire design and protection	37
3.8.5	Design by testing	39
3.9	Additional considerations for seismic upgrading	39
4.	Durability considerations	40
4.1	General	40
4.2	Creep, stress rupture and stress corrosion	40
4.3	Temperature effects	41
4.3.1	Glass transition temperature	41
4.3.2	Service temperature	42
4.3.3	Freeze-thaw	42
4.3.4	Bond behaviour at high and low temperatures	43
4.4	Moisture	44
4.4.1	Effect of water absorption on FRP	44
4.4.2	Moisture durability of an FRP-concrete system	45
4.5	UV light exposure	46
4.5.1	General	46
4.5.2	Protection	47
4.6	Alkalinity and acidity	47
4.7	Lightning and galvanic corrosion	47

5.	Bond	49
5.1	Bond behaviour	49
5.1.1	Differential equation of bond	49
5.1.2	Bond-slip law for surface bonded FRP	49
5.1.3	Bond-slip law for near surface mounted FRP	50
5.2	Debonding mechanisms for EBR systems	51
5.2.1	Debonding mechanisms in RC beams with flexural strengthening	52
5.2.2	Debonding due to unevenness	54
5.3	Safety verifications with respect to debonding of EBR systems	55
5.3.1	Effective bond length	55
5.3.2	Ultimate strength for debonding at the end anchorage zone	57
5.3.3	Ultimate strength for debonding at intermediate cracks	58
5.3.4	Effect of fatigue	60
5.4	Debonding mechanisms for NSM FRP systems	60
5.4.1	Debonding mechanisms	60
5.4.2	Debonding mechanisms in beams strengthened in flexure	63
5.4.3	Debonding mechanisms in beams strengthened in shear	65
5.5	Safety verifications with respect to debonding of NSM systems	66
5.5.1	Bond length	66
5.5.2	Ultimate strength for debonding	66
5.5.3	Effect of fatigue	67
5.6	Mechanical anchorages	68
	Appendix 5.1 – Details on bond-slip relationships and strength models	68
	A5.1.1 EBR systems	68
	A5.1.2 NSM systems	73
	Appendix 5.2 – Special types of strengthening systems	76
	A5.2.1 Textile reinforced mortar (TRM) reinforcement	76
	A5.2.2 Steel fibre reinforced polymer (SFRP) reinforcement	77
	A5.2.3 Mechanically anchored or fastened systems	77
6.	Ultimate limit states for predominantly static loading and fatigue	78
6.1	General	78
6.2	Bending with or without axial force	78
6.2.1	Strengthening with externally bonded FRP for members subjected primarily to bending	78
6.2.2	Flexural strengthening with near surface mounted strips	90
6.2.3	Strengthening columns through confinement	93
6.2.4	Strengthening columns in flexure	99

6.3 Shear	100
6.3.1 General	100
6.3.2 Members not requiring design shear reinforcement	101
6.3.3 Members requiring design shear reinforcement	102
6.3.4 Shear strengthening in relation to insufficient shear capacity	102
6.3.5 Shear strengthening in relation to flexural debonding	105
6.4 Torsion	107
6.4.1 General	107
6.4.2 Design procedure	107
6.4.3 Combined torsion and shear	108
6.5 Punching	108
6.6 Design with strut and tie models	108
6.7 Anchorages and laps	108
6.8 Fatigue	109
6.8.1 General	109
6.8.2 Verification conditions	109
6.8.3 Externally bonded reinforcement	109
6.8.4 Near surface mounted reinforcement	111
Appendix 6.1 Cross section analysis at the ultimate limit state	111
Appendix 6.2 Verification of debonding at intermediate cracks according to the moment – shear interaction diagram approach	112
Appendix 6.3 Verification of debonding at intermediate cracks according to the shear transfer between concrete and FRP approach	114
7. Serviceability limit states	116
7.1 General	116
7.2 Stresses	117
7.2.1 Material stresses in the case of flexural strengthening	117
7.2.2 Stress limitations	118
7.3 Cracking	119
7.3.1 Crack control in RC members strengthened with EBR	119
7.3.2 Crack control in RC members strengthened with NSM	122
7.4 Deflection control	123
7.5 Long term effects	125

8.	Ultimate limit states in seismic retrofitting	126
8.1	Global considerations	126
8.2	Practical implementation of global measures	128
8.3	Strategies in FRP interventions for seismic applications	128
8.3.1	Objectives in FRP retrofitting	129
8.3.2	Determining the displacement demand of the individual structural members	131
8.4	FRP as a means of enhancing strength and deformation capacity	133
8.4.1	Increasing flexural strength of RC members by adding longitudinal FRP reinforcement	133
8.4.2	Increasing the deformation capacity of reinforced concrete members through FRP jacketing	138
8.5	Acceptance criteria and safety evaluation	143
8.5.1	Rotation capacity and displacement ductility of FRP-confined members	143
8.5.2	Safety requirements	146
8.6	Dimensioning provisions to eliminate brittle failures	150
8.6.1	Buckling of longitudinal bars	150
8.6.2	Displacement ductility of FRP jacketed RC members	153
8.7	Joints	154
	Appendix 8.1 – Stiffness of global intervention elements	160
	Appendix 8.2 – Practical implementation of global measures	161
	Appendix 8.3 – Example on buckling of longitudinal bars	164
9.	Detailing	166
9.1	General	166
9.2	Detailing for strengthening with EBR FRP	166
9.2.1	Beams	166
9.2.2	Columns and walls	172
9.2.3	Joints	177
9.2.4	Protection of the FRP	177
9.3	Detailing for strengthening with NSM FRP	178
9.3.1	General	178
9.3.2	Beams	178
9.3.3	Columns and walls	182

10.	Practical execution and quality control	183
10.1	Techniques	183
10.1.1	Basic technique (manual)	183
10.1.2	Subsequent or special techniques	184
10.2	General requirements	184
10.3	Practical execution of surface bonded FRP	185
10.3.1	Preceding repair	187
10.3.2	Preparation works	187
10.3.3	FRP application	189
10.3.4	Finishing	191
10.4	Practical execution of near surface mounted FRP	191
10.4.1	Preparation works	191
10.4.2	NSM application	192
10.5	Quality control	192
10.5.1	Characterization and quality control of the strengthening materials	192
10.5.2	Qualification of workers	196
10.5.3	Quality control on the practical execution	197
10.5.4	Bond quality control after the practical execution	199
10.5.5	In-service inspection and maintenance	201
	References	202
	Chapter 1	202
	Chapter 2	202
	Chapter 3	204
	Chapter 4	205
	Chapter 5	207
	Chapter 6	213
	Chapter 7	214
	Chapter 8	216
	Chapter 9	219
	Chapter 10	221
	Additional references	223