

# Contents

|   |    |
|---|----|
| Preface   | i  |
| 1. Introduction   | 1  |
| 2. Requirements for concrete structures in terms of SLS           | 3  |
| 2.1 Introduction  | 3  |
| 2.2 Serviceability limit states criteria                          | 3  |
| 2.2.1 Stress limitation   | 3  |
| 2.2.2 Cracking and crack width                                    | 4  |
| 2.2.3 Deformations of concrete structures                         | 5  |
| 2.2.4 Vibrations  | 5  |
| 2.3 Analysis of Serviceability Limit States                       | 5  |
| 2.3.1 Stress analysis   | 6  |
| 2.3.2 Crack width analysis  | 6  |
| 2.3.3 Deformation analysis  | 7  |
| 3. Design criteria of serviceability limit states                 | 9  |
| 3.1 Stress limits   | 9  |
| 3.2 Crack width   | 10 |
| 3.3 Deformation criteria  | 11 |
| 3.4 Vibrations  | 12 |
| 4. Rules and explanations   | 13 |
| 4.1 Calculation of stresses                                       | 13 |
| 4.1.1 RC sections   | 14 |
| 4.1.2 PC sections   | 21 |
| 4.2 Cracking  | 30 |
| 4.2.1 Bending cracks  | 30 |
| 4.2.2 Shear cracks  | 48 |
| 4.2.3 Cracks induced by deformation restraint                     | 52 |
| 4.2.4 Cracks in prestressed concrete structures                   | 56 |
| 4.2.5 Control of cracking without calculation                     | 60 |
| 4.2.6 Cracks in orthogonally reinforced elements                  | 63 |
| 4.3 Deflections of concrete structures                            | 70 |
| 4.3.1 Calculation of deflections due to bending                   | 72 |
| 4.3.2 Deflection due to shear                                     | 91 |
| 5. Examples   | 93 |
| 5.1 Stress and deflection analysis of a prestressed concrete beam | 93 |
| 5.1.1 Stress analysis   | 93 |
| 5.1.2 Deflection analysis   | 96 |
| 5.2 Partially prestressed beam – cracking                         | 99 |

|       |   |     |
|-------|---|-----|
| 5.3   | Cracking due to shear   | 101 |
| 5.3.1 | Experiment - Description of the structure   | 101 |
| 5.3.2 | Numerical analysis of the formation of the first shear crack  | 102 |
| 5.3.3 | Comparison of numerical and experimental results  | 103 |
| 5.3.4 | Conclusions   | 104 |
| 5.4   | Example for Combination of Restraint and Load Action  | 105 |
| 5.5   | Design of watertight wall   | 109 |
| 5.5.1 | Assumptions   | 110 |
| 5.5.2 | SLS Design according to Model Code 2010 7.6.4.4   | 111 |
| 5.5.3 | Discussion  | 114 |
| 5.5.4 | Evenly spaced construction joints   | 114 |
| 5.5.5 | On-site experience  | 115 |
| 5.6   | Deflection analysis   | 115 |
| 5.6.1 | Example of application of the general method  | 115 |
| 5.6.2 | Example of application of simplified methods. Deflection control of a reinforced concrete slab                                    | 120 |
| 5.6.3 | Solution of the problem by the General Sectional Method   | 124 |
| 5.6.4 | General Method and Comparison of results  | 127 |
| 6.    | Outlook on serviceability limit states  | 130 |
| 6.1   | Deflections of prestressed concrete beams   | 130 |
| 6.1.1 | Slenderness limits  | 131 |
| 6.1.2 | Basic assumptions for the parametric analysis   | 131 |
| 6.1.3 | Parametric analysis   | 133 |
| 6.1.4 | Conclusions   | 143 |
| 6.2   | Shear effects on deflections  | 144 |
| 6.2.1 | Introduction  | 144 |
| 6.2.2 | Experimental background   | 145 |
| 6.2.3 | Review of theoretical models for the calculation of the deformation of a macro-element of the beam block due to bending and shear | 150 |
| 6.2.4 | Calculation of the deflection of the beam due to bending and shear  | 155 |
| 6.2.5 | Practical evaluation of the influence of shear on deflection  | 155 |
| 6.3   | Slenderness limits  | 163 |
| 6.3.1 | How slenderness limits are determined   | 163 |
| 6.3.2 | Refining the model  | 164 |
| 6.4   | The crack width along the concrete cover of reinforced concrete   | 171 |
| 6.4.1 | General considerations of crack width and bond in concrete  | 171 |
| 6.4.2 | Crack width along the concrete cover  | 176 |
| 6.4.3 | Conclusions and recommendations   | 186 |

|     |   |     |
|-----|---|-----|
| 7.  | Verification of serviceability limit states by numerical simulation | 188 |
| 7.1 | Introduction  | 188 |
| 7.2 | Crack model based on fracture mechanics                             | 189 |
| 7.3 | Crack model based on tension stiffening                             | 192 |
| 8.  | Conclusions   | 194 |
|     | References  | 196 |
|     | Chapter 2   | 196 |
|     | Chapter 3   | 196 |
|     | Chapter 4   | 196 |
|     | Chapter 5   | 199 |
|     | Chapter 6   | 200 |
|     | Chapter 7   | 201 |
|     | Chapter 8   | 202 |