

# Contents

Foreword	i
Preface	ii
1. Mechanical characterization	1
Round-Robin Test on Various Test-Methods for Flexural Behavior of Steel Fiber Reinforced Sprayed Concretes Plückelmann, S.; Breitenbücher, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch01">https://doi.org/10.35789/fib.BULL.0095.Ch01</a>	2
A new multi-scale hybrid fiber reinforced cement-based composites Li, L.; Cao, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch02">https://doi.org/10.35789/fib.BULL.0095.Ch02</a>	12
A sectional approach for the bending creep of FRC based on uniaxial tension creep tests Vrijdaghs, R.; Di Prisco, M.; Vandewalle, L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch03">https://doi.org/10.35789/fib.BULL.0095.Ch03</a>	20
Optimized quality control procedure with the Barcelona test and the inductive method for FRC Galeote, E.; Blanco, A.; Cavalaro, S.H.P.; de la Fuente, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch04">https://doi.org/10.35789/fib.BULL.0095.Ch04</a>	30
Influence of the beam size on the residual strength of high performance fibre reinforced concrete Galeote, E.; Blanco, A.; Cavalaro, S.H.P.; de la Fuente, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch05">https://doi.org/10.35789/fib.BULL.0095.Ch05</a>	40
Influence of test methodology on the applicability of test results of fibre reinforced concrete for design Juhasz, K.P.; Schaul, P.; Winterberg, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch06">https://doi.org/10.35789/fib.BULL.0095.Ch06</a>	50
Parameters affecting the properties of plain and fiber reinforced self-consolidating concrete. Javadian, A.; Mahdavi, A.; Benamrane, O.; Majeed, M.; Aoude, H. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch07">https://doi.org/10.35789/fib.BULL.0095.Ch07</a>	60

Mechanical characterization of fiber reinforced floor screeds: Influence of glass fibers on shrinkage and cracking mechanisms Chelha, F.; Alam, S. Y.; Bendimerad, A.Z.; Loukili, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch08">https://doi.org/10.35789/fib.BULL.0095.Ch08</a>	70
An application oriented state-of-art and research-need perspective on self-healing fibre-reinforced cementitious composites Ferrara, L.; Asensio, E.C.; Lo Monte, F.; Snoeck, D.; De Belie, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch09">https://doi.org/10.35789/fib.BULL.0095.Ch09</a>	80
<b>2. Shear</b>	<b>90</b>
Experimental study of shear transfer in polypropylene fibre-reinforced concrete using pre-cracked push-off specimens Ortiz-Navas, F.; Scaroni, L.; Navarro-Gregori, J.; Serna-Ros, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch10">https://doi.org/10.35789/fib.BULL.0095.Ch10</a>	91
Shear crack behaviour and shear deformation of polypropylene fibre-reinforced concrete slender beams Ortiz-Navas, F.; Navarro-Gregori, J.; Serna Ros, P.; Leiva Herdicia, G. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch11">https://doi.org/10.35789/fib.BULL.0095.Ch11</a>	101
Fibres as shear reinforcement in RC beams: an overview on assessment of material properties and design approaches Barros, J.A.O.; Foster, S.J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch12">https://doi.org/10.35789/fib.BULL.0095.Ch12</a>	111
Experimental investigation of shear-critical prestressed steel fibre reinforced concrete beams De Smedt, M.; De Wilder, K.; Anastasopoulos, D.; Reynders, E. ; De Roeck, G.; Vandewalle, L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch13">https://doi.org/10.35789/fib.BULL.0095.Ch13</a>	121
<b>3. Bridges/Elevated Slabs/Precast Elements/Tunnel Linings</b>	<b>132</b>
Segmental Lining Design using Macro Synthetic Fibre Reinforcement Winterberg, R.; Rodríguez, L.M.; Cámara, R.J.; Abad, D.S <a href="https://doi.org/10.35789/fib.BULL.0095.Ch14">https://doi.org/10.35789/fib.BULL.0095.Ch14</a>	133
Effect of reinforcement configuration on the ductility requirements of real-scale slabs Galeote, E.; Blanco, A.; de la Fuente, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch15">https://doi.org/10.35789/fib.BULL.0095.Ch15</a>	143

---

Experimental Behaviour of Precast Tunnel Segments in Steel Fiber Reinforcement with GFRP Rebars	153
Meda, A.; Rinaldi, Z.; Spagnuolo, S.; De Rivaz, B.; Giamundo, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch16">https://doi.org/10.35789/fib.BULL.0095.Ch16</a>	
Opportunities for synthetic fibre reinforcement in concrete tramlines	163
Juhasz, K.P.; Schaul, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch17">https://doi.org/10.35789/fib.BULL.0095.Ch17</a>	
Closed-form Solutions for Interaction Diagrams of Hybrid Fiber-Reinforced Tunnel Segments	173
Yao, Y.; Bakhshi, M.; Nasri, V.; Mobasher, B. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch18">https://doi.org/10.35789/fib.BULL.0095.Ch18</a>	
An experimental study on the use of polypropylene macrofibers in precast segments for hydraulic and metro tunnel lining	185
Conforti, A.; Trabucchi, I.; Tiberti, G.; Plizzari, G.A.; Caratelli, A; Meda, A.; Moro, S.; Hunger, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch19">https://doi.org/10.35789/fib.BULL.0095.Ch19</a>	
Design of precast prestressed SFRC T-girders for accelerated sustainable bridge construction	195
Massicotte, B.; Cordoni, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch20">https://doi.org/10.35789/fib.BULL.0095.Ch20</a>	
FRC Hybrid slabs: reliability of Model Code approaches	205
Pourzarabi, A.; Colombo, M.; Martinelli, P.; di Prisco, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch21">https://doi.org/10.35789/fib.BULL.0095.Ch21</a>	
Optimization of partially prefabricated HyFRC slabs	215
Zani, G.; Colombo, M.; Failla, C.; di Prisco, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch22">https://doi.org/10.35789/fib.BULL.0095.Ch22</a>	
Structural behavior of precast tunnel segments with macro-synthetic fibers during TBM operations: a numerical study	225
Trabucchi, I.; Conforti, A.; Tiberti, G.; Plizzari, G.A.; Winterberg, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch23">https://doi.org/10.35789/fib.BULL.0095.Ch23</a>	

---

4. Seismic and Special Loading Conditions	235
Seismic Performance of Fibre Reinforced Concrete in the Absence of Bars	236
Bernard, E. S.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch24">https://doi.org/10.35789/fib.BULL.0095.Ch24</a>	
RC Beams with Steel Fibers - Towards Better Determination of their Minimum Conventional Reinforcement Ratio	246
Dancygier, A.N.; Karinski, Y.S..	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch25">https://doi.org/10.35789/fib.BULL.0095.Ch25</a>	
Residual crack width in RC and R/FRC ties subjected to repeated loads	254
Fantilli, A.P.; Tondolo, F.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch26">https://doi.org/10.35789/fib.BULL.0095.Ch26</a>	
An experimental investigation on the post-cracking behaviour of Recycled Steel Fibre Reinforced Concrete	262
Frazão, C.; Barros, J.; Bogas, A.; Pilakoutas, K.; de Sousa, C.M.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch27">https://doi.org/10.35789/fib.BULL.0095.Ch27</a>	
Finite Element Analyses of Seismic Response of a 22-story RC Wall Building subjected to Drying Shrinkage Cracking and Application of SCRPCCC	272
Kitazawa, K.; Sato, Y.; Naganuma, K.; Kaneko, Y.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch28">https://doi.org/10.35789/fib.BULL.0095.Ch28</a>	
Closed loop control in crushing test for fibre reinforced concrete pipes	282
Monte, R.; de la Fuente Antequera, A.; Dominigues de Figueiredo, A.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch29">https://doi.org/10.35789/fib.BULL.0095.Ch29</a>	
Effect of synthetic fibers on the quasi-static and blast behaviour of reinforced concrete beams	292
Aoude, H.; Li, Y.; Bastami, R.; Ibrahim, F.M.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch30">https://doi.org/10.35789/fib.BULL.0095.Ch30</a>	

---

Strain-based fatigue failure criterion for steel-fiber reinforced concrete	302
Poveda, E.; Ruiz, G.; Cifuentes, H.; Yu, R.C.; Zhang, X.X.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch31">https://doi.org/10.35789/fib.BULL.0095.Ch31</a>	
Performance of Ductile FRCC under Cyclic Loads and Non-Linear FE Simulation	310
Antroula, G.; Stavroula, P.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch32">https://doi.org/10.35789/fib.BULL.0095.Ch32</a>	
Cyclic Damage on PVA Microfibre Embedded in Cementitious Matrix in Alternating Tension-Compression Regime	321
Ranjbarian, M.; Mechtcherine, V.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch33">https://doi.org/10.35789/fib.BULL.0095.Ch33</a>	
<b>5. Service Conditions and Durability</b>	330
Reduction of Flexural Crack Widths Using Synthetic Fibres in Reinforced Concrete	331
Bernard, E. S.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch34">https://doi.org/10.35789/fib.BULL.0095.Ch34</a>	
Influence of chloride-initiated corrosion on the surface aspect of steel fibre reinforced cementitious composites	341
Vieira, M.M.; Cavalaro, S.H.P.; Aguado, A.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch35">https://doi.org/10.35789/fib.BULL.0095.Ch35</a>	
Serviceability Limit State Design of SFRC Members	351
Amin, A.; Gilbert, R.I.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch36">https://doi.org/10.35789/fib.BULL.0095.Ch36</a>	
The effect of fibres on corrosion of reinforced concrete	361
Berrocal, C.G.; Lundgren, K.; Löfgren, I.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch37">https://doi.org/10.35789/fib.BULL.0095.Ch37</a>	
Influence of the Post-Cracking Residual Strength Variability on the Partial Safety Factor	371
de la Fuente, A.; Cavalaro, S.H.; Bairán, J.M.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch38">https://doi.org/10.35789/fib.BULL.0095.Ch38</a>	

Comparability of bond tests for repair and retrofit of concrete structures with Fiber Reinforced Concrete Zanotti, C.; Rndl, N.; Gar, P.S.; Far, B.K.; Steiner, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch39">https://doi.org/10.35789/fib.BULL.0095.Ch39</a>	381
Characterization and Prediction of Microcracking in Reinforced UHPFRC Beams under Bending Turgeon-Mallette, V.; Sorelli, L.; Conciatori, D.; Réthore, J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch40">https://doi.org/10.35789/fib.BULL.0095.Ch40</a>	391
Investigation of fiber effect on the geometrical property of crack and water permeability of cracked concrete Ding, Y.; Li, D.; Zeng, W. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch41">https://doi.org/10.35789/fib.BULL.0095.Ch41</a>	401
Evaluation of Effective Moment of Inertia for Calculation of Short-Term Deflections of Steel Fiber Reinforced Concrete Flexural Members Fargier-Gabaldon, L.B.; Al-Tameemi, M.; Parra-Montesinos, G.J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch42">https://doi.org/10.35789/fib.BULL.0095.Ch42</a>	411
<b>6. Structural Applications and Rehabilitation</b>	<b>421</b>
Experimental Investigation of Hybrid Concrete Elements with Varying Fiber Reinforcement under Concentrated Load Plückelmann, S.; Breitenbücher, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch43">https://doi.org/10.35789/fib.BULL.0095.Ch43</a>	422
The behaviour of concrete columns confined by UHP-FRCC jacketing Fantilli, A.P.; Nishiwaki, T.; Lisi, V.; Longo, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch44">https://doi.org/10.35789/fib.BULL.0095.Ch44</a>	432
A holistic calculation and design tool for structural SFRC members Look, K.; Mark, P. Longo, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch45">https://doi.org/10.35789/fib.BULL.0095.Ch45</a>	442
FRCcalc - Software for design of fiber reinforced concrete elements according to MC2010 recommendations Valente, T.; Barros, J.; Lourenço, L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch46">https://doi.org/10.35789/fib.BULL.0095.Ch46</a>	452

---

Retrofitting a full-scale two-story hollow clay block masonry building by Steel Fiber Reinforced Mortar coating Lucchini, S.S.; Facconi, L.; Minelli, F.; Plizzari, G.A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch47">https://doi.org/10.35789/fib.BULL.0095.Ch47</a>	462
<b>7. HPFRC</b>	<b>473</b>
Structural behavior of prestressed Ultra-High Performance Fibre-Reinforced Concrete beams with and without openings: comparison between experimental results and finite element modelling techniques. Redaelli, D.; Nseir, J.Y. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch48">https://doi.org/10.35789/fib.BULL.0095.Ch48</a>	474
Use of a Probabilistic Explicit Cracking Model for Analysing the mechanical behaviour of an Ultra-High Performance Fibre Reinforced Concrete (UHPFRC) Beam Subjected to Shear Loading Rossi, P.; Davian-Desnoyers, D.; Tailhan, J.L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch49">https://doi.org/10.35789/fib.BULL.0095.Ch49</a>	484
UHPFRC Precast slabs and field-cast joints of the Isabey-Darnley pedestrian bridge Charron, J.P.; Desmettre, C.; Cantin Bellemare, E. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch50">https://doi.org/10.35789/fib.BULL.0095.Ch50</a>	494
Practical considerations on the application of the recent SIA 2052 guidelines on testing of Ultra-high-performance fiber-reinforced concrete Loser, R.; Justs, J.; Lura, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch51">https://doi.org/10.35789/fib.BULL.0095.Ch51</a>	504
Effect of Fibers on the Flexural Behaviour of Beams Built with High-Strength Concrete and High-Strength reinforcement Bastami, R.; Li, Y.; Algasseem, O.; Aoude, H. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch52">https://doi.org/10.35789/fib.BULL.0095.Ch52</a>	514
Fiber effect on shear behavior of UHPC beams Randl, N.; Mészöly, T. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch53">https://doi.org/10.35789/fib.BULL.0095.Ch53</a>	524