

Contents

| | |
|---|----|
| Preface | i |
| 1. Introduction | 1 |
| 1.1 Definition | 1 |
| 1.2 Historical Development | 1 |
| 1.3 State of the Art of External Tendons | 5 |
| 1.3.1 External tendon types | 5 |
| 1.4 Advantages and Disadvantages of External Tendons | 7 |
| 1.4.1 Advantages | 7 |
| 1.4.2 Disadvantages | 7 |
| 1.5 Terms and Definitions | 7 |
| 2. Primary components of External Tendons | 10 |
| 2.1 Tensile elements | 11 |
| 2.1.1 Strands | 11 |
| 2.1.2 Wires | 11 |
| 2.1.3 Bars | 12 |
| 2.2 Ducts | 12 |
| 2.2.1 Polymeric ducts | 12 |
| 2.2.2 Steel ducts | 13 |
| 2.3 Anchorages | 14 |
| 2.4 Couplers | 15 |
| 2.5 Anchorage Caps | 16 |
| 2.6 Deviators | 16 |
| 2.6.1 Inserts in straight recess pipes or bore holes | 18 |
| 2.6.2 Deviators directly cast in the concrete for bundled deviation | 18 |
| 2.6.3 Deviators directly cast in the concrete for single strand deviation | 20 |
| 2.7 Fixations | 20 |
| 3. Durability of External Tendons | 22 |
| 3.1 Corrosion protection for External Tendons | 22 |
| 3.1.1 Exposure | 22 |
| 3.1.2 Protection measures of prestressing steel | 22 |
| 3.1.3 Corrosion protection for anchorages | 23 |
| 3.1.4 Protection strategies | 24 |
| 3.1.5 Lessons learned | 25 |
| 3.2 Resistance of prestressing steel when deviated | 27 |

| | | |
|-------|---|----|
| 3.3 | Wear of polymer duct at deviators | 28 |
| 3.3.1 | Cable factor (transverse pressure at individual tensile elements) | 28 |
| 3.3.2 | Friction and wear when stressing | 30 |
| 3.4 | Fire resistance | 31 |
| 4. | Design and detailing aspects | 32 |
| 4.1 | General approach to design | 32 |
| 4.2 | Action on the structure by External Tendons | 33 |
| 4.2.1 | Initial prestressing force | 33 |
| 4.2.2 | Losses of prestressing force | 33 |
| 4.2.3 | Force acting at deviation points | 34 |
| 4.2.4 | Local forces at deviation points | 35 |
| 4.2.5 | Stress increase in ULS | 36 |
| 4.2.6 | Calculation of acting forces | 36 |
| 4.2.7 | Anchorage and deviation blocks | 38 |
| 4.3 | Minimum deviation radius | 39 |
| 4.4 | Provision for future tendons | 40 |
| 5. | Fabrication, Installation and Replacement | 42 |
| 5.1 | Tendon fabrication | 42 |
| 5.1.1 | On-site assembly | 43 |
| 5.1.2 | Partial prefabrication | 43 |
| 5.1.3 | Full prefabrication | 43 |
| 5.2 | Temporary corrosion protection measures | 44 |
| 5.3 | Jobsite activities before tendon installation | 45 |
| 5.4 | Tendon installation | 45 |
| 5.4.1 | On-site assembled tendons | 45 |
| 5.4.2 | Partially prefabricated tendons | 45 |
| 5.4.3 | Fully prefabricated tendons | 46 |
| 5.5 | Stressing | 46 |
| 5.6 | Duct filling method | 47 |
| 5.6.1 | Full or partial prefabrication | 47 |
| 5.6.2 | On-site fabrication | 47 |
| 5.7 | Final works | 48 |
| 5.8 | Documentation | 48 |
| 5.9 | Replacement of external tendons | 49 |
| 5.9.1 | Replacement of grouted External Tendons | 51 |
| 5.9.2 | Replacement of external tendons with soft filler | 54 |

| | | |
|-------|--|----|
| 6. | Approval Testing | 55 |
| 6.1 | Resistance to static load test | 56 |
| 6.1.1 | Verification of anchorages | 56 |
| 6.1.2 | Verification of deviation zones with small radii of curvature | 56 |
| 6.2 | Resistance to fatigue load test | 57 |
| 6.3 | Load transfer to the structure test | 57 |
| 6.4 | Deviated tendon test verifying the corrosion protection barriers | 58 |
| 6.5 | Assembly / installation / stressing test | 60 |
| 6.6 | Duct filling test | 60 |
| 7. | Quality Assurance, Inspection and Monitoring | 61 |
| 7.1 | Quality assurance | 61 |
| 7.1.1 | Quality plan | 61 |
| 7.1.2 | Quality control testing on components performed by the manufacture | 62 |
| 7.1.3 | External surveillance for components | 63 |
| 7.1.4 | Traceability | 63 |
| 7.1.5 | Quality control of the execution | 63 |
| 7.2 | Regular and special inspections of external tendons | 64 |
| 7.2.1 | Regular inspection | 64 |
| 7.2.2 | Special inspection – Load measurement | 64 |
| 7.2.3 | Special inspection – Durability assessment | 66 |
| 7.3 | Long-term monitoring | 67 |
| 7.3.1 | Monitoring of prestressing force | 68 |
| 7.3.2 | Monitoring of electrical isolation | 70 |
| 7.3.3 | Acoustic Emission Measurements | 71 |
| 8. | Application in bridge construction and repair | 72 |
| 8.1 | General | 72 |
| 8.2 | Concrete bridges | 72 |
| 8.2.1 | Use of combined internal and external tendons in cast-in-place bridges | 73 |
| 8.2.2 | Use of internal and external tendons in precast bridges | 76 |
| 8.2.3 | Use of only external tendons in cast-in-place bridges | 80 |
| 8.2.4 | Use of only external tendons for precast bridges | 82 |
| 8.3 | Structures made of Ultra High Performance Concrete | 82 |
| 8.4 | Structural steel and composite structures | 86 |
| 8.5 | Strengthening of existing structures | 88 |
| 8.5.1 | Strengthening with longitudinal tendons | 88 |
| 8.5.2 | Strengthening with transverse tendons | 94 |
| 9. | References | 97 |